

Ip-172-31-33-59

- Dashboard
- Server Configuration
- Listeners
- Virtual Hosts
- VHost Templates
- Tools
- WebAdmin Settings
- Help

Listeners > Summary

LSWS PID: 29689  SYSTEM LOAD AVG: 0, 0, 0 

Summary

Listener List						+
	Listener Name	IP Address	Port	Secure	Actions	
	Default	ANY	80	No	 	
	domain.com	ANY	443	Yes	 	

Ip-172-31-33-59







- Dashboard
- Server Configuration
- Listeners
- Virtual Hosts
- VHost Templates
- Tools
- WebAdmin Settings
- Help

Listener Default > General

LSWS PID: 29689  SYSTEM LOAD AVG: 0, 0, 0 

General SSL Modules

Address Settings	
Listener Name	Default
IP Address	ANY IPv4
Port	80
Binding	Not Set
Enable REUSEPORT	Not Set
Secure	No
Notes	Not Set

Virtual Host Mappings			
	Virtual Host	Domains	Actions
	Example	*	 
	domain.com	domain.com	 

• Select the virtual hosts that you want to map to this listener.
• If you have not set up the virtual host you want to map, you can skip this step and come back later.
• Enter all the domains that you want this listener to respond to. Use comma "," to separate individual domain.
• You can choose only one virtual host to handle all unspecified domains, put "*" in domains.

Virtual Host Mappings

Virtual Host *	<input type="text" value="Example"/>
Domains *	<input type="text" value="*"/>

• Select the virtual hosts that you want to map to this listener.
• If you have not set up the virtual host you want to map, you can skip this step and come back later.
• Enter all the domains that you want this listener to respond to. Use comma "," to separate individual domain.
• You can choose only one virtual host to handle all unspecified domains, put "*" in domains.



Virtual Host Mappings

Virtual Host *	<input type="text" value="domain.com"/>
Domains *	<input type="text" value="domain.com"/>

Ip-172-31-33-59

- Dashboard
- Server Configuration
- Listeners
- Virtual Hosts
- VHost Templates
- Tools
- WebAdmin Settings
- Help

Listener Default > SSL

LSWS PID: 29689  SYSTEM LOAD AVG: 0, 0, 0 

General **SSL** Modules

SSL Private Key & Certificate

Private Key File	<input type="text" value="Not Set"/>
Certificate File	<input type="text" value="Not Set"/>
Chained Certificate	<input type="text" value="Not Set"/>
CA Certificate Path	<input type="text" value="Not Set"/>
CA Certificate File	<input type="text" value="Not Set"/>

SSL Protocol

Protocol Version	<input type="text" value="Not Set"/>
Ciphers	<input type="text" value="Not Set"/>
Enable ECDH Key Exchange	<input type="text" value="Not Set"/>
Enable DH Key Exchange	<input type="text" value="Not Set"/>
DH Parameter	<input type="text" value="Not Set"/>

Security & Features

SSL Renegotiation Protection	<input type="text" value="Not Set"/>
Enable Session Cache	<input type="text" value="Not Set"/>
Enable Session Tickets	<input type="text" value="Not Set"/>
ALPN	<input type="text" value="Not Set"/>
Open HTTP3/QUIC (UDP) Port	<input type="text" value="Not Set"/>

OCSP Stapling

Enable OCSP Stapling	<input type="text" value="Not Set"/>
OCSP Response Max Age (secs)	<input type="text" value="Not Set"/>
OCSP Responder	<input type="text" value="Not Set"/>
OCSP CA Certificates	<input type="text" value="Not Set"/>

Client Verification

Client Verification	<input type="text" value="Not Set"/>
Verify Depth	<input type="text" value="Not Set"/>
Client Revocation Path	<input type="text" value="Not Set"/>
Client Revocation File	<input type="text" value="Not Set"/>



Ip-172-31-33-59

- Dashboard
- Server Configuration
- Listeners
- Virtual Hosts
- VHost Templates
- Tools
- WebAdmin Settings
- Help

Listener Default > Modules

LSWS PID: 29689  SYSTEM LOAD AVG: 0, 0, 0 

General SSL **Modules**

Module Configuration  

Module	Module Parameters	Enable Module	Actions
--------	-------------------	---------------	---------

Ip-172-31-33-59



- Dashboard
- Server Configuration
- Listeners
- Virtual Hosts
- VHost Templates
- Tools
- WebAdmin Settings
- Help

Listene **domain.com** General

LSWS PID 29689  SYSTEM LOAD AVG 0, 0, 0 

General SSL Modules

Address Settings	
Listener Name	lshaw.au
IP Address	ANY IPv4
Port	443
Binding	Not Set
Enable REUSEPORT	Not Set
Secure	Yes
Notes	Not Set

Virtual Host Mappings		
Virtual Host	Domains	Actions
domain.com	*,domain.com,www.domain.com	 

Ip-172-31-33-59



- Dashboard
- Server Configuration
- Listeners
- Virtual Hosts
- VHost Templates
- Tools
- WebAdmin Settings
- Help

Listener **domain.com** - General

LSWS PID: 29689  SYSTEM LOAD AVG: 0, 0, 0 

General SSL Modules

- Select the virtual hosts that you want to map to this listener.
- If you have not set up the virtual host you want to map, you can skip this step and come back later.
- Enter all the domains that you want this listener to respond to. Use comma "," to separate individual domain.
- You can choose only one virtual host to handle all unspecified domains, put "*" in domains.

Virtual Host Mappings  

Virtual Host *	<input type="text" value="domain.com"/>
Domains *	<input type="text" value="*,domain.com,www.domain.com"/>

- Dashboard
- Server Configuration
- Listeners
- Virtual Hosts
- VHost Templates
- Tools
- WebAdmin Settings
- Help

General **SSL** Modules

SSL Private Key & Certificate

Private Key File	/usr/local/lsws/conf/cert/ domain_com.crt
Certificate File	/usr/local/lsws/conf/cert/ domain_com.key
Chained Certificate	Yes
CA Certificate Path	Not Set
CA Certificate File	/usr/local/lsws/conf/cert/ domain_com.pem

SSL Protocol

Protocol Version	<input type="checkbox"/> SSL v3.0 <input type="checkbox"/> TLS v1.0 <input type="checkbox"/> TLS v1.1 <input checked="" type="checkbox"/> TLS v1.2 <input checked="" type="checkbox"/> TLS v1.3
Ciphers	Not Set
Enable ECDH Key Exchange	Not Set
Enable DH Key Exchange	Not Set
DH Parameter	Not Set

Security & Features

SSL Renegotiation Protection	Not Set
Enable Session Cache	Not Set
Enable Session Tickets	Not Set
ALPN	Not Set
Open HTTP3/QUIC (UDP) Port	Not Set

OCSP Stapling

Enable OCSP Stapling	Not Set
OCSP Response Max Age (secs)	Not Set
OCSP Responder	Not Set
OCSP CA Certificates	Not Set

Client Verification

Client Verification	Not Set
Verify Depth	Not Set
Client Revocation Path	Not Set
Client Revocation File	Not Set


Ip-172-31-33-59

- Dashboard
- Server Configuration
- Listeners
- Virtual Hosts
- VHost Templates
- Tools
- WebAdmin Settings
- Help

Lis domain.com > Modules

LSWS PID: 29689  SYSTEM LOAD AVG: 0, 0, 0 

General SSL Modules

Module Configuration  

Module	Module Parameters	Enable Module	Actions
--------	-------------------	---------------	---------

--	--	--	--